

NLO Lecture 20: Terahertz Generation and Applications

11 Terahertz generation and applications


11.1 Auston switch

11.2 Optical rectification

11.2.1 Optical rectification with tilted-pulse-fronts

(11.2.2 Optical rectification by Quasi-Phase Matching (QPM))

11 Terahertz generation and applications



0.3 – 30 THz

Auston Switch: THz Time Domain Spectroscopy





Fig. 11.1: THz pulses generated (a) and received (b) with photoconductive switches.

THz Time Domain Spectroscopy using optical rectification in GaAs



Time Domain THz Spectroscopy





Figure 11.2: Terahertz waveforms modified by passage through (a) a 10 mm block of stycast and (b) a chinese fortune cookie. The dashed lines show the shape of the input waveform multiplied by 0.5 in (a) and by 0.1 in (b). In (a) the transmitted pulse exhibits a strong "chirp" due to a frequency-dependent index, while in (b), pulse broadening indicates preferential absorption of high frequencies. [7]

THz Acceleration and X-ray Sources



All laser driven, intrinsic attosecond synchronization

Only pico-second lasers at 1J-level necessary -> kHz operation


→ All optical driven fully coherent attosecond X-ray source:

→ has its own science case

→ seeding of large scale FELs

→ resolve access problem to large facilities


3D Model of Final AXSIS Light Source



THz Acceleration


Dielectrically Loaded Circular Waveguide

- Traveling wave structure is best for coupling broad-band single cycle pulses
- Phase-velocity matched to electron velocity with thickness of dielectric



Copper Inner Diameter = 940 μm




Fused Silica Inner Diameter = 400 μm



L.J. Wong et al., *Opt. Exp.* 21, 9792 (2013).

E. Nanni, et al., *Nat. Comm.* (2015), 10.1038/ncomms9486.

Terahertz-driven Linear Electron Acceleration



11.2 Optical rectification




Figure 11.3: THz generation by DFG from two cw lines or from intrapulse spectral components. Once intense enough THz has been generated it acts back on the generating lines and creates additional down-shifted lines, which themselves again generate THz by DFG. This cascaded DFG process leads to a continuous down- shifting of the center of the optical spectrum.

THz Materialproperties I

crystal	ZnTe	LiNbO ₃	LiTaO ₃	GaP
opt. wl (μm)	0.8	1.06	1.06	1.06
opt. ref. index	2.85	2.16	2.14	3.11
THz ref. index	3.2	5.2	6.5	3.21
$\Delta n = n_{THz} - n_{g,opt}$	0.35	3.0	4.32	0.1
THz abs. (cm^{-1})	9.9	21.7	95	3.3
transp. range (μm)	0.55-30	0.4-5.2	0.4-5.5	0.55-10
band gap (eV)	2.26	3.7	5.65	2.25
nonlin. coeff. (pm/V)	$d_{14}=23.1$	$d_{33}=152.4$	$d_{33}=145.2$	$d_{14}=21.7$
nonlin. ref. index n_2	120 at 1.06	0.91	0.37	20
$\frac{10^{-15}\text{cm}^2/\text{W}}{\text{at } \lambda (\mu\text{m})}$	71 at 0.8	at 1.06	at 1.06	at 0.78
FOM ₁ , long pulses	0.03	1	0.21	0.06
FOM ₂ , ultrashort pl.	0.74	1	0.64	1,67
FOM ₃ , Kerr-limited	0.00045	1	0.416	0.005

Table 11.1: Linear and nonlinear properties, and figures of merit (normalized to LiNbO₃) of crystals transparent in the 0-4 THz range and most widely used for optical THz generation according to Ref. [10].

THz Materialproperties II

crystal	GaSe	GaAs	ZGP	CdSiP ₂
opt. wl (μm)	1.06	2.1	2.1	2.0
opt. ref. index	2.8	3.33	3.15	3.0
THz ref. index	3.26	3.6	3.37	3.05
$\Delta n = n_{THz} - n_{g,opt}$	0.34	0.18	0.17	0.05
THz abs. (cm^{-1})	2.5	1	1	<0.1
transp. range (μm)	0.65-18	0.9-15	0.75-12	0.5-9
band gap (eV)	2.1	1.424	2.34	2.45
nonlin. coeff. (pm/V)	$d_{22}=24.3$	$d_{14}=46.1$	$d_{36}=39.4$	$d_{36}=85$
nonlin. ref. index n_2	45	150	40	?
$\frac{10^{-15}\text{cm}^2/\text{W}}{\text{at } \lambda (\mu\text{m})}$	at 1.06	at 2.1	at 2.1	at 2.1
FOM ₁ , long pulses	0.13	0.83	0.68	
FOM ₂ , ultrashort pl.	0.13	0.64	0.55	
FOM ₃ , Kerr-limited	0.004	0.014	0.047	

Table 11.2: Linear and nonlinear properties, and figures of merit (normalized to LiNbO₃) of crystals transparent in the 0-4 THz range and most widely used for optical THz generation according to ref. [10]

Three Wave Interaction

$$\frac{d\hat{E}(\omega_1)}{dz} = -j\kappa_1 \hat{E}(\omega_3) \hat{E}^*(\omega_2) e^{-j\Delta kz},$$

$$\frac{d\hat{E}(\omega_2)}{dz} = -j\kappa_2 \hat{E}(\omega_3) \hat{E}^*(\omega_1) e^{-j\Delta kz},$$

$$\frac{d\hat{E}(\omega_3)}{dz} = -j\kappa_3 \hat{E}(\omega_1) \hat{E}(\omega_2) e^{+j\Delta kz},$$


$$\kappa_i = \omega_i d_{eff} / n_i c_0, \quad \text{and} \quad \Delta k = k_3 - k_1 - k_2.$$

Difference Frequency Generation

$$\omega_1 = \Omega, \quad \omega_3 = \omega_0 + \Omega \quad \text{and} \quad \omega_2 = \omega_0,$$

Ω is a THz frequency

Phase Mismatch (for collinear interaction)

$$\begin{aligned}\Delta k &= \left. \frac{\partial k_{opt}(\omega)}{\partial \omega} \right|_{\omega_0} \Omega - k_{THz}(\Omega) = \left(\frac{1}{v_{g,opt}} - \frac{1}{v_{p,THz}} \right) \Omega \\ &= \frac{\Omega}{c} (n_{g,opt} - n_{p,THz}).\end{aligned}$$


For Lithium Niobate

2

5

→ Broadband non collinear phase matching by tilted pulse fronts

→ Quasi-phase matching

11.2.1 Optical rectification with tilted-pulse-fronts






Figure 11.4: (a) Noncollinear phase matching for THz generation. Note, the THz phase index in lithium niobate is more than twice as large as the optical group index. (b) Broadband implementation of the noncollinear phase matching using a grating and imaging system that leads to the generation of pulses with a tilted pulse front.

Tilted pulse front technique



Non-collinear phase matching




Figure 11.6: Noncollinear phase-matching condition for pulse-front-tilted optical rectification.

z - component

$$\begin{aligned} \Delta k_z(\omega) &= \cos \gamma k(\omega + \Omega) - \cos(\gamma + \theta(\omega)) k(\omega) - k_{THz}(\Omega) \\ &= \cos \gamma \frac{\partial k_{opt}(\omega)}{\partial \omega} \Omega + \sin \gamma \left(-\frac{\partial \theta}{\partial \omega} \right) \Omega k(\omega) - k_{THz}(\Omega) = 0, \end{aligned}$$

y - component

$$\begin{aligned} \Delta k_y(\omega) &= \sin \gamma k(\omega + \Omega) - \sin(\gamma + \theta(\omega)) k(\omega) \\ &= \sin \gamma \frac{\partial k_{opt}(\omega)}{\partial \omega} \Omega - \cos \gamma \frac{\partial \theta}{\partial \omega} \Omega k(\omega) \\ &= \sin \gamma \frac{\partial k_{opt}(\omega)}{\partial \omega} \Omega - \cos \gamma \left(-\frac{\partial \theta}{\partial \omega} \right) \Omega k(\omega) = 0. \end{aligned}$$

Tilt angle

$$\frac{\partial k_{opt}(\omega)}{\partial \omega} \Omega - \cos \gamma k_{THz}(\Omega) = 0$$

$$\frac{1}{v_{g,opt}} - \frac{1}{v_{p,THz}} \cos \gamma = 0$$

$$n_{g,opt} = n_{p,THz} \cos \gamma,$$

Necessary angular spread

$$\frac{\partial \theta}{\partial \omega} = -\tan \gamma \frac{v_{p,opt}}{\omega v_{g,opt}} = -\tan \gamma \frac{n_{g,opt}}{\omega n_{p,opt}}.$$

1D – spatial Model

$$k(\omega) = \frac{1}{\cos \gamma} \frac{\omega n(\omega)}{c} + \frac{(\omega - \omega_0)^2}{2} k''_{AD}$$

$$k''_{AD} = \frac{-n_{g,opt}^2(\omega_0)}{\omega_0 c(\omega_0)} \tan^2 \gamma.$$

1D - Model

$$\begin{aligned} \frac{d\hat{E}_{THz}(\Omega, z)}{dz} = & -\frac{\alpha_{THz}(\Omega)}{2} \hat{E}_{THz}(\Omega, z) \\ & -j \frac{\Omega d_{eff}}{c n_{p,THz}} \int_0^\infty \hat{E}_{opt}(\omega + \Omega, z) \hat{E}_{opt}(\omega, z)^* e^{j\Delta k(\omega)z} d\omega . \end{aligned} \quad (11.13)$$

which also includes the THz absorption. For the optical field, we obtain

$$\begin{aligned} \frac{d\hat{E}_{opt}(\omega, z)}{dz} = & -\frac{\alpha_{opt}(\Omega)}{2} \hat{E}_{opt}(\omega, z) \\ & -j \frac{\omega d_{eff}}{c n_{p,opt}} \int_0^\infty \hat{E}_{opt}(\omega + \Omega, z) \hat{E}_{THz}(\Omega, z)^* d\Omega e^{-j\Delta k(\omega)z} \\ & -j \frac{\omega d_{eff}}{c n_{p,opt}} \int_0^\infty \hat{E}_{opt}(\omega - \Omega, z) \hat{E}_{THz}(\Omega, z) e^{-j\Delta k(\omega)z} d\Omega \\ & + \mathcal{F} \left[j \frac{\varepsilon_0 \omega_0 n_{p,opt}^2 n_2 d_{eff}}{2} |E_{opt}(t, z)|^2 E_{opt}(t, z) \right] \\ & + \mathcal{F} \left[j \frac{\varepsilon_0 \omega_0 n_{p,opt}^2 n_2 d_{eff}}{2} \left[|E_{opt}(t - t', z)|^2 \otimes h_r(t') \right] E_{opt}(t, z) \right] , \end{aligned} \quad (11.14)$$




Figure 11.7: Comparison of experimental and simulated optical spectra for different amounts of generated THz.







Figure 11.8: Conversion efficiencies as a function of effective length are calculated by switching on/off various effects. Material dispersion and absorption are considered for all cases. The pump fluence is 20 mJ/cm^2 , for a crystal temperature of 100 K . (a) Gaussian pulses with 500-fs FWHM pulse width with peak intensity of 40 GW/cm^2 are used. Cascading effects together with GVD-AD leads to the lowest conversion efficiencies. The drop in conversion efficiency is attributed to the enhancement of phase mismatch caused by dispersion due to the large spectral broadening caused by THz generation (See Figs. 11.7(b)-(c)). However, since group velocity dispersion due to angular dispersion (GVD-AD) is more significant than GVD due to material dispersion at optical frequencies in lithium niobate, cascading effects in conjunction with GVD-AD is the strongest limitation to THz generation. SPM effects are much less detrimental since they cause relatively small broadening of the optical pump spectrum (see 11.7 (a)). (b) Cascading effects along with GVD-AD are most detrimental even for a 150-fs Gaussian pulse with $3\times$ larger peak intensity. [19]

2D - Simulation

(a) SPM, GVD-AD, material dispersion, absorption




(b) Cascading Effects, GVD-AD, material dispersion, absorption




2D - Simulation

(a) SPM, GVD-AD, material dispersion, absorption





(b) Cascading Effects, GVD-AD, material dispersion, absorption



THz Generation results

~1% optical to THz conversion



LN prism

- J. Hebling et al., Opt. Express 10, 1161 (2002)*
- J. A. Fülöp et al., Opt. Express 19, 15090 (2011)*
- S. W. Huang et al Opt. Lett. 38(5), 796-798 (2013)*
- X. Wu et al., Opt. Express 24, 21059 (2016)*

Single-cycle THz generation:

$$E_{THz} \sim 200 \mu J$$


$$f_{THz} \sim 280 GHz$$

$$\Delta_{FWHM} \sim 3.3 ps$$


IR laser: 40 mJ, 1020 nm, 1ps

0.5 % efficiency


Measured THz mode



Measured THz Waveform




1.4 mJ THz Generation Results from Ti:Sapphire Laser



B. Zhang, ... Xiaojun Wu,, 1.4-mJ High Energy Terahertz Radiation from Lithium Niobate, LPR 15 (2021), doi: 10.1002/lpor.202000295.

1.4 mJ THz Generation Results from Ti:Sapphire Laser



B. Zhang, ... Xiaojun Wu, ..., 1.4-mJ High Energy Terahertz Radiation from Lithium Niobate, LPR 15 (2021), doi: 10.1002/lpor.202000295.